

Chart C. Monthly Crop Coefficients (Kc) for Cool Season Turfgrasses												
City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Abilene	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Amarillo	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Austin	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Brownsville	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
College Station	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Corpus Christi	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Dallas/Ft. Worth	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Del Rio	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
El Paso	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Galveston	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Houston	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Lubbock	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Midland	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Port Arthur	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
San Angelo	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
San Antonio	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Victoria	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Waco	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Wichita Falls	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8

Cool season turfgrasses include tall fescue and ryegrass.

Chart D. Monthly Crop Coefficients (Kc) for Warm Season Turfgrasses												
City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Abilene	0.0	0.1	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0
Amarillo	0.0	0.0	0.2	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0
Austin	0.1	0.2	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1
Brownsville	0.3	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3
College Station	0.3	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3
Corpus Christi	0.3	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3
Dallas/Ft. Worth	0.0	0.1	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0
Del Rio	0.3	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3
El Paso	0.0	0.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0
Galveston	0.3	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3
Houston	0.3	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3
Lubbock	0.0	0.1	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0
Midland	0.0	0.1	0.2	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0
Port Arthur	0.1	0.2	0.4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1
San Angelo	0.0	0.1	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0
San Antonio	0.1	0.2	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1
Victoria	0.3	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3
Waco	0.0	0.1	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1
Wichita Falls	0.0	0.1	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.1	0.0

Warm season turfgrasses include bermudagrass, St. Austinegrass, zoysiagrass, and buffalograss.

Chart E. Monthly Crop Coefficients (Kc) for Warm Season Turfgrasses Overseeded with Ryegrass												
City	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Abilene	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Amarillo	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.8	0.8
Austin	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Brownsville	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
College Station	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Corpus Christi	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Dallas/Ft. Worth	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.8	0.8
Del Rio	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
El Paso	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Galveston	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Houston	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Lubbock	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Midland	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.8	0.8
Port Arthur	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.8	0.8
San Angelo	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
San Antonio	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Victoria	0.8	0.8	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8
Waco	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.8	0.8
Wichita Falls	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.8	0.8

Warm season turfgrasses include bermudagrass, St. Austinegrass, zoysiagrass, and buffalograss.

Cool season turfgrasses include tall fescue and ryegrass.